

Table of Contents

Chapter 1 - Introduction and Overview of Volume 2		
1.1	Background	1 - 2
1.2	Shackel's Comments	1 - 2
1.3	Carrying On	1 - 2
1.4	Volume 2 Emerges	1 - 3
1.5	Conclusion	1 - 4
Chapter 2 - Factors Affecting the Abrasion Resistance of Concrete Floors and Concrete Pavers – A Review of the Literature		
2.0	Introduction	2 - 2
2.0.1	Purpose	2 - 2
2.0.2	Significance	2 - 2
2.0.3	Durability	2 - 2
2.0.4	Definitions and Conventions	2 - 2
2.0.4.1	Definitions	2 - 2
2.0.4.1 (a)	Wear	2 - 2
2.0.4.1 (b)	Wear resistance	2 - 2
2.0.4.1 (c)	Abrasion wear	2 - 2
2.0.4.1 (d)	Abrasion	2 - 3
2.0.4.1 (e)	Abrasion resistance	2 - 3
2.0.4.1 (f)	Shallow, Intermediate and Deep Abrasion Wear	2 - 3
2.0.4.1 (g)	Authors	2 - 3
2.0.4.1 (h)	Writer	2 - 4
2.0.4.1 (i)	Investigator	2 - 4
2.0.4.1 (j)	Volume 1	2 - 4
2.0.4.1 (k)	Volume 2	2 - 4
2.0.4.1 (l)	Thesis	2 - 4
2.0.4.2	Conventions	2 - 4
2.0.5	Early Work	2 - 4
2.0.6	Concrete Pavers	2 - 5
2.0.7	Abrasion Tests	2 - 5
2.0.8	Organization of Chapter	2 - 6
2.0.9	Preview of Chapter	2 - 12
2.1	Compressive Strength	2 - 13
2.1.1	Factors Affecting the Relationship between Compressive Strength and Abrasion Resistance	2 - 13
2.1.2	Comparison of Failure Mechanisms	2 - 14
2.1.3	Choice of Abrasion Test Influences Relationship with Compressive Strength	2 - 15
2.1.4	'Core' and 'Surface' Abrasion Resistance	2 - 15
2.1.5	Conflicting Views on the Relationship between Compressive Strength and Abrasion Resistance	2 - 21
2.1.5(a)	View 1: Abrasion resistance is related to compressive strength	2 - 21
2.1.5(b)	View 2 : Abrasion resistance is poorly related to compressive strength	2 - 24
2.1.5(c)	View 3: Abrasion resistance approximately follows compressive strength	2 - 28
2.1.6	Summary and Conclusions	2 - 30
2.2	Paste	2 - 32
2.2.1	Micro-Structure of Hardened Paste	2 - 34
2.2.1.1	Water Binder Ratio	2 - 36

2.2.1.1(a)	Influence of w/b on density of microstructure	2 - 36
2.2.1.1(b)	Influences of w/b on Abrasion Resistance	2 – 37
2.2.1.1.1	Water Quantity	2 – 42
2.2.1.1.1.1	Fine Aggregate	2 – 43
2.2.1.1.1.1(a)	Grading	2 – 44
2.2.1.1.1.1(b)	Particle shape	2 – 46
2.2.1.1.1.1(c)	Surface texture	2 – 46
2.2.1.1.1.1(d)	Proportioning	2 – 47
2.2.1.1.1.2	Coarse Aggregate	2 – 47
2.2.1.1.1.2(a)	Grading	2 – 47
2.2.1.1.1.2(b)	Size	2 – 47
2.2.1.1.1.2(c)	Shape	2 – 48
2.2.1.1.1.2(d)	Surface texture	2 – 48
2.2.1.1.1.2(e)	Proportions	2 – 48
2.2.1.1.1.3	Superplasticizer	2 – 48
2.2.1.1.1.4	Pigment	2 – 49
2.2.1.1.1.5	Binder Type	2 – 50
2.2.1.1.1.5(a)	Fly ash	2 – 51
2.2.1.1.1.5(b)	Silica Fume	2 – 51
2.2.1.1.1.6	Water Extraction	2 – 52
2.2.1.1.1.6(a)	Finishing (hand and power)	2 – 52
2.2.1.1.1.6(b)	Vacuum dewatering	2 – 57
2.2.1.1.1.6(c)	Re-Vibration	2 – 57
2.2.1.1.2	Binder Quantity	2 – 58
2.2.1.1.2(a)	Increasing cement content promotes increased abrasion resistance	2 – 58
2.2.1.1.2(b)	Increasing cement content does not increase abrasion resistance	2 – 60
2.2.1.2	Binder Type	2 – 63
2.2.1.2.1	Fly Ash	2 – 63
2.2.1.2.1(a)	General benefits	2 – 63
2.2.1.2.1(b)	Strength contributors	2 – 63
2.2.1.2.1(c)	Mix design considerations	2 – 64
2.2.1.2.1(d)	Pozzolanic effect	2 – 64
2.2.1.2.1(e)	Source	2 – 64
2.2.1.2.1(f)	Fineness	2 – 65
2.2.1.2.1(g)	Acid attack	2 – 65
2.2.1.2.1(h)	Effect of replacement level	2 – 65
2.2.1.2.1(i)	Improved abrasion resistance	2 – 66
2.2.1.2.1(ii)	Equivalent abrasion resistance	2 – 66
2.2.1.2.1(iii)	Lower abrasion resistance	2 – 66
2.2.1.2.2	Ground Granulated Blastfurnace Slag	2 – 67
2.2.1.2.3	Silica Fume	2 – 69
2.2.1.2.3(a)	Physical characteristics	2 – 69
2.2.1.2.3(b)	Mechanisms of enhancement	2 – 69
2.2.1.2.3(c)	Effect of silica fume on abrasion resistance	2 – 71
2.2.1.2.3(i)	Substantial improvements to abrasion resistance	2 – 71
2.2.1.2.3(ii)	Modest improvements to abrasion resistance	2 – 72
2.2.1.2.3(iii)	Reductions in abrasion resistance	2 – 73
2.2.1.2.3(d)	Rate of strength development	2 – 73
2.2.1.2.3(e)	Resistance to acid attack	2 – 73
2.2.1.2.3(f)	Treatment with sulphuric acid	2 – 74
2.2.1.2.4	Ordinary Portland Cement	2 – 74
2.2.1.2.5	Rapid Hardening Portland Cement	2 – 75
2.2.1.2.6	Polymers	2 – 75

2.2.1.2.7	Hydrated Lime	2 – 78
2.2.1.2.8	Calcium Aluminate Cement	2 – 79
2.2.1.2.9	Summary and Conclusion on ‘Binder Type’	2 – 79
2.2.1.3	Curing	2 – 80
2.2.1.3.1	Curing Systems	2 – 80
2.2.1.3.1(a)	Polythene sheeting	2 – 81
2.2.1.3.1(b)	Wet burlap	2 – 82
2.2.1.3.1(c)	Ponding	2 – 82
2.2.1.3.1(d)	Curing compounds	2 – 82
2.2.1.3.1(e)	Air	2 – 83
2.2.1.3.1(f)	Heat and steam	2 – 83
2.2.1.3.1.1	Comparison and relative performance of different curing systems	2 – 84
2.2.1.3.1.2	Unexpected results	2 – 85
2.2.1.3.1.3	Curing of low w/b mixes relative to high w/b mixes	2 – 85
2.2.1.3.2	Binder Content	2 – 86
2.2.1.3.3	Binder Type	2 – 86
2.2.1.3.4	Age	2 – 87
2.2.1.3.4(a)	Duration of curing	2 – 87
2.2.1.3.4(i)	Abrasion resistance is not related to curing duration	2 – 87
2.2.1.3.4(ii)	Abrasion resistance improves with increased curing duration	2 – 87
2.2.1.3.4(iii)	Abrasion resistance reduces with increased curing	2 – 89
2.2.1.3.4(b)	Early curing is the most important	2 – 89
2.2.1.3.4(c)	Delayed curing	2 – 89
2.2.1.3.4(d)	Summary and Conclusion of ‘Age’	2 – 90
2.2.2	Weathering and Corrosion	2 – 91
2.2.2.1	Freeze/Thaw Damage	2 – 91
2.2.2.2	Early Frost Damage	2 – 93
2.2.2.3	Water Corrosion	2 – 93
2.2.2.4	Chemical Attack	2 – 94
2.2.2.5	Carbonation	2 – 96
2.2.2.6	Wetting and Drying	2 – 97
2.2.2.7	Influence of Abrasion Resistance on Weathering	2 – 98
2.2.2.7(a)	Acid Attack	2 – 98
2.2.2.7(b)	Water	2 – 98
2.2.2.7(c)	Freeze/Thaw	2 – 99
2.2.2.7(d)	Carbonation	2 – 99
2.2.2.7(e)	Wetting and Drying	2 – 99
2.2.2.8	Conclusion to ‘Weathering and Corrosion’	2 - 100
2.3	Voids	2 – 101
2.3.1	Introduction	2 – 101
2.3.2	An Expression for Strength Including Influence of Air Voids	2 – 101
2.3.3	The Influence of Paste on Entrapped Voids	2 – 105
2.3.3.1	Effect of Consistency on Entrapped Voids	2 – 105
2.3.3.2	Effect of Relative Proportioning of Paste on Entrapped Voids	2 – 106
2.3.4	The Influence of Compactive Effort on Entrapped Voids	2 – 107
2.3.5	Air Entrained Voids	2 – 108
2.3.6	A Model Linking Abrasion Resistance to Voids	2 – 109
2.3.7	Summary and Conclusion	2 – 110
2.4	Aggregates	2 – 111
2.4.1	Fine Aggregate	2 – 113
2.4.1.1	Hardness and Type	2 – 113
2.4.1.1(a)	Position 1: Aggregate hardness/softness influences abrasion resistance	2 – 113
2.4.1.1(b)	Position 2: There is no clear relationship between aggregate	2 – 115

	hardness and abrasion resistance	
2.4.1.2	Soundness	2 – 116
2.4.1.3	Grading and Particle Size	2 – 117
2.4.1.3(a)	Fine sands have higher abrasion resistance	2 – 117
2.4.1.3(b)	Coarse sands have higher abrasion resistance	2 – 117
2.4.1.3(c)	Coarse and fine sands are equally good	2 – 117
2.4.1.3(d)	Sands must be well graded	2 – 117
2.4.1.3(e)	There should not be excessive fine material	2 – 118
2.4.1.3(f)	Some sub 75 micron material promotes fine filler effect	2 – 118
2.4.1.4	Shape and Texture	2 – 118
2.4.1.5	Volume Fraction Relative to Paste	2 – 119
2.4.2	Coarse Aggregate	2 – 123
2.4.2.1	Hardness and Type	2 – 123
2.4.2.1(a)	Position 1 : Abrasion resistance is a function of the coarse aggregate's hardness	2 – 123
2.4.2.1(b)	Position 2 : Abrasion resistance does not depend on aggregate hardness/type	2 – 128
2.4.2.1(c)	Position 3 : The hardness of the coarse aggregate is of no concern	2 – 132
2.4.2.1(d)	Overall Conclusion to Type and Hardness	2 – 133
2.4.2.2	Grading	2 – 133
2.4.2.3	Size	2 – 134
2.4.2.4	Volume Fraction Relative to Sand	2 – 135
2.5	Aggregate/Paste Bond	2 – 139
2.5.1	Failure Mechanisms	2 – 139
2.5.1(a)	Failure mechanism in compression	2 – 139
2.5.1(b)	Proposed failure mechanism in abrasion wear	2 – 139
2.5.1(c)	Relative contribution of the transition zone	2 – 140
2.5.1(d)	Consideration of abrasion forces	2 – 140
2.5.2	Quality of Paste	2 – 141
2.5.2.1	Porosity	2 – 141
2.5.2(a)	Transition Zone Structure	2 – 142
2.5.2(b)	Improving Paste Porosity	2 – 142
2.5.3	Aggregate	2 – 144
2.5.4	Conclusion	2 – 144
2.6	Surface Treatments	2 – 145
2.6.1	Dry shakes	2 – 146
2.6.1.1	Metallic Dry Shakes	2 – 147
2.6.1.1.1	Metals	2 – 147
2.6.1.1.2	Alloys	2 – 147
2.6.1.2	Non-Metallic Dry Shakes	2 – 147
2.6.1.2.1	Natural	2 – 147
2.6.1.2.1(a)	Silica	2 – 147
2.6.1.2.1(b)	Quartz	2 – 148
2.6.1.2.2	Synthetic	2 – 148
2.6.1.2.3	Pure Cement	2 – 148
2.6.1.2.4	Relative Performance	2 – 148
2.6.2	Fresh-on-Fresh Toppings	2 – 150
2.6.3	Concrete Overlays	2 – 152
2.6.4	Tiling	2 – 153
2.6.5	Liquid Applied Surface Treatments	2 – 154
2.6.5.1	Reactive Hardeners	2 – 154
2.6.5.2	In-Surface Sealers	2 – 156
2.6.5.3	Sealers for Resisting Water Penetration	2 – 156
2.6.5.4	Conclusion	2 – 158

2.6.6	Coatings and Sacrificial Coatings	2 – 159
2.6.6(a)	Background	2 – 159
2.6.6(b)	Requirements of an overlay	2 – 159
2.6.6(c)	Performance of various coatings	2 – 160
2.6.7	Polymer Impregnated Concrete and Coatings	2 – 162
2.6.8	Surface Grinding	2 – 163
2.6.9	Relative Effectiveness of Various Surface Treatments	2 – 164
2.6.9.1	Ranking of Surface Treatments	2 – 164
2.7	Fibres	2 – 166
2.7.1	Fibres Reduce Cracking	2 – 166
2.7.1(a)	Steel Fibres	2 – 166
2.7.1(b)	Carbon Fibres	2 – 167
2.7.2	Fibres are Ineffective or Increase Cracking	2 – 167
2.7.3	Hard Aggregate Effect	2 – 168
2.7.4	Conclusion	2 – 168
2.8	Moisture Conditioning	2 – 169
2.9	Surface Cracks	2 – 172
2.10	Temperature	2 – 174
2.10.1	Low Temperatures	2 – 174
2.10.2	High Temperatures	2 – 174
2.11	Influence of Test Method	2 – 176
2.12	Conclusion	2 – 177
2.12.1	Simple Philosophy of Abrasion Resistance	2 – 177
Chapter 3 - Mechanisms of Abrasion Wear		
3.1	Introduction	3 – 2
3.2	Background	3 – 2
3.2.1	Surface Topography	3 – 2
3.2.2	Contact Between Surfaces	3 – 3
3.2.3	Hardness	3 – 4
3.2.3.1	Indentation Hardness	3 – 4
3.2.3.1(a)	Vickers hardness	3 – 4
3.2.3.1(b)	Brinell hardness	3 – 4
3.2.3.1(c)	Rockwell hardness	3 – 4
3.2.3.1(d)	Shore hardness	3 – 5
3.2.3.2	Sliding Hardness	3 – 5
3.2.3.3	Impact Hardness	3 – 6
3.2.3.4	Influences of Hardness on Abrasion Resistance in Different Materials	3 – 7
3.2.3.4(a)	Ceramics	3 – 7
3.2.3.4(b)	Metals	3 – 7
3.2.3.4(c)	Steel alloys	3 – 7
3.2.3.4(d)	Polymers	3 – 7
3.2.4	Toughness	3 – 8
3.2.5	Particle Size	3 – 9
3.2.6	A Final Word on Hardness	3 – 10
3.2.7	Sectional Summary and Conclusion	3 – 10
3.3	Wear Induced by Normal Compression	3 – 11
3.3.1	Adhesion	3 – 12
3.3.2	Elastic Deformation	3 – 13
3.3.2.1	Smooth-Surface Contact	3 – 13
3.3.2.2	Blunt-Object Contact	3 – 14
3.3.3	Plastic Deformation	3 – 16
3.3.4	Cone Cracks	3 – 19
3.3.5	Lateral Cracks	3 – 20
3.3.6	Axial Cracks	3 – 22

3.3.6.1	Introduction	3 – 22
3.3.6.2	Crack Initiation and Fracture	3 – 23
3.3.6.3	Measurements of Crack Initiation and Propagation	3 – 23
3.3.6.4	The Stages of Cracking in Concrete	3 – 23
3.3.6.4(a)	Stage I - Crack initiation	3 – 24
3.3.6.4(b)	Stage II - Stable crack propagation	3 – 24
3.3.6.4(c)	Stage III - Unstable crack propagation	3 – 25
3.3.6.5	Mechanisms of Cracking in Concrete	3 – 25
3.3.6.6	Relationship between State of Stress and Abrasion Resistance	3 – 27
3.3.6.6(a)	Uniaxial tension	3 – 27
3.3.6.6(b)	Uniaxial compression	3 – 27
3.3.6.6(c)	Triaxial compression	3 – 27
3.3.6.7	Boussinesq's Equations	3 – 27
3.3.6.7(a)	Boussinesq's Equations for a point load	3 – 28
3.3.6.7(b)	Boussinesq's for an uniformly distributed load	3 – 30
3.3.6.8	Sectional Summary and Conclusion	3 – 32
3.3.7	Hard Particle Effect	3 – 33
3.3.8	Sectional Summary	3 – 34
3.4	Wear Induced by Lateral Sliding	3 – 35
3.4.1	Friction	3 – 35
3.4.2	Sliding Adhesion	3 – 37
3.4.3	Elastic Deformation from Sliding	3 – 38
3.4.4	Plastic Deformation from Sliding	3 – 39
3.4.5	Semi-Cone Cracks from Sliding	3 – 41
3.4.6	Lateral Cracks from Sliding	3 – 42
3.4.7	Axial Cracks from Sliding	3 – 43
3.4.8	Sliding Hard Particles	3 – 43
3.4.9	Shear Failure in Concrete	3 – 44
3.4.9(a)	Pure and Simple Shear	3 – 44
3.4.9(b)	Combined Shear and Compression	3 – 45
3.4.9(c)	Bending Stresses	3 – 45
3.4.10	Other Wear Mechanisms	3 – 46
3.4.11	Other Factors affecting Shear Strength and Abrasion Wear	3 – 47
3.4.12	Sectional Summary and Conclusion	3 – 47
3.5	Common Applications	3 – 48
3.5.1	Applied Loads Consisting of Pure Compression	3 – 50
3.5.1(1)	Tyre - Motionless	3 – 50
3.5.1(2)	Heel - Motionless	3 – 50
3.5.1(3)	Base plate - Motionless	3 – 51
3.5.1(4)	Hard Particle Effect - Motionless	3 – 51
3.5.2	Applied Loads Consisting of Lateral Sliding	3 – 53
3.5.2(5)	Tyre - Sliding	3 – 53
3.5.2(5a)	Pneumatic tyre	3 – 53
3.5.2(5b)	Solid rubber tyre	3 – 53
3.5.2(6)	Heel - Sliding	3 – 54
3.5.2(7)	Base plate - Sliding	3 – 54
3.5.2(8)	Hard Particle - Sliding	3 – 55
3.5.2(8a)	Grit under base plate	3 – 55
3.5.2(8b)	Grit under man	3 – 55
3.5.2(8c)	Grit under child	3 – 55
3.5.3	Effectiveness of Lateral Compression	3 – 56
3.6	Summary and Conclusion to Chapter 3	3 – 59
Chapter 4 - Classification of Abrasion Tests		
4.0	Scope and Purpose	4 – 2
4.1	Abrasive Actions	4 – 7

4.1.1	Rolling	4 – 7
4.1.2	Sliding	4 – 8
4.1.2.1	Special cases of Sliding	4 - 9
4.1.2.1(a)	Reynolds slip	4 – 9
4.1.2.1(b)	Heathcote slip	4 – 10
4.1.2.1(c)	Wheel slip	4 - 11
4.1.3	Impact	4 – 12
4.1.3(a)	Mild Impact Abrasion	4 – 13
4.1.3(b)	Severe Impact Abrasion	4 – 15
4.1.4	Abrasion Wear Code	4 – 16
4.1.5	Recurrence of Wear Mechanisms	4 – 18
4.3	Shortcomings of Abrasion Tests	4 – 24
4.3.1	‘Severe Impact’	4 – 24
4.3.2	‘Slow’	4 – 24
4.3.3	‘Too Mild’	4 – 25
4.3.4	‘Severe Rolling’	4 – 25
4.3.5	‘Can’t Measure Aggregate/Paste Bond’	4 – 25
4.3.6	‘Aggregate does not contribute’	4 – 25
4.3.7	‘Skill and Interpretation Required’	4 – 28
4.3.8	‘Only for Screeds’	4 – 28
4.3.9	‘Repeatability Poor’	4 – 29
4.3.10	‘Measures Core Quantities’	4 – 29
4.3.11	‘Expensive Equipment’	4 – 29
4.3.12	‘Water’	4 – 29
4.3.13	‘Odd Size Specimens’	4 – 30
4.3.14	‘Large Track Diameter’	4 – 30
4.3.15	‘Outdated Test’	4 – 30
4.3.16	‘Abrasives Difficult to Obtain or Expensive’	4 – 30
4.4	Abrasion Test for Concrete Pavers	4 – 31
4.4.1	Short list	4 – 31
4.4.2	Important Criteria of an Abrasion Test	4 – 31
4.4.2(a)	Mild Impact	4 – 31
4.4.2(b)	Mild Rolling	4 – 32
4.4.2(c)	Test Duration	4 – 32
4.4.2(d)	Positive Result	4 – 32
4.4.2(e)	Affordable Equipment	4 – 32
4.4.2(f)	Assessment of Aggregate/Paste Bond	4 – 32
4.4.2(g)	Assessment of Aggregate Hardness	4 - 33
4.4.2(h)	Test Current	4 – 33
4.4.2(j)	Repeatability	4 – 33
4.4.2(k)	Skill and Interpretation	4 – 33
4.4.2(l)	Water	4 – 34
4.4.2(m)	Track Diameter	4 – 34
4.4.2(n)	Availability of Abrasives	4 – 34
4.4.3	Comparison of six tests using the above stated criteria	4 – 34
4.4.4	Recommended Test Program	4 - 35
4.5	Summary and Conclusion	4 – 36
Chapter 5 - Summary and Conclusion of Volume 2		